





## The Perfect Hot Tub



#### The Ultimate Hot Tub

Built to last a lifetime American Whirlpool® features the worlds first Steel frame - Appliance Grade® structure. For the ultimate relaxing and healing experience, American Whirlpool® also features the worlds first medically designed jet massage systems called Zone Therapy®. Experience the exclusive features that make your new American Whirlpool® the ultimate hot tub.

Dimensions64	4" X 81" /163 x 206 cm
Depth	31" /79 cm
Seating Capacity	3
Water Capacity (gal/liters)	185 gal /700 L
Weight (empty)	605 lbs/274 kg
Weight (full)	2,151 lbs/976 kg
Lounge	Yes
Illuminated Drink Holders	3
Illuminated Spa Controls	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	Yes
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Performance Seating®	Yes
Head Cushions	3
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes
Stainless Steel Jets	

Pump 1 (Export)	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements (4-Wire)	240/40A/50A
Export	230V, 5ÓHz, Íx15A
Jet Total	29
OPTIONAL FEATUR	
	Yes Yes













Dimensions78	" X 78"/198 cm x 198 cm
Depth	35″/89 cm
Seating Capacity	4
Water Capacity (gal/liters	s)259 gal/980 I
Weight empty	697 lbs /316 kg
Weight full	2,847 lbs/1,291kg
Illuminated Drink Holders	
Illuminated Spa Controls.	Yes
3.5" Underwater Spa Lia	ht Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	Yes
Comfort Collar®	2
Head Cushions	2
Performance Seating®	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	
-	

Pump1 (Export)	. 3.0Hp/6.0bHp, 240V, 2Sp . 3.0Hp/6.0bHp, 240V, 2Sp . 3.0Hp/6.0bHp, 230V, 2Sp . 3.0Hp/6.0bHp, 230V, 2Sp
	240/40A/60A
	230V, 50Hz, 1x25A
·	32
OPTIONAL FEATUR	
AeroMAAX® Plus (10 air	jets)Yes
AeroMAAX® Plus (10 air CleanZone® System	jets)Yes
AeroMAAX® Plus (10 air CleanZone® System	jets)Yes
AeroMAAX® Plus (10 air CleanZone® System Clean Zone® Ultra (Dual	jets)Yes













Dimensions	78" X 78" /198 x 198 cm
Depth	35" /89 cm
Seating Capacity	4
	s)255 gal /965 l
Weight (empty)	697 lbs/316 kg
Weight (full)	2,810 lbs/1,275 kg
Lounge	Ye
Illuminated Drink Holders	2
Illuminated Spa Controls.	Yes
3.5" Underwater Spa Lia	ht Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	
Comfort Collar®	1
Head Cushions	2
Chromatherapy	Yes
Performance Seating®	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes
Stainless Steel Jets	

Pump 1	. 3.0Hp/6.0bHp, 240V, 29	Sp
Pump2	. 3.0Hp/6.0bHp, 240V, 29	s Sp
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 29	Sp
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 29	Sp
Electrical Requirements		
	240/40A/60	
Export	230V, 50Hz, 1x25	5A
Jet Total	2	28
OPTIONAL FEATUR	RES	
	jets)Y	es
	ү	
,	Sanitization System) Y	
	Ү	
Pedestal Lights	Υ	es
•	Υ	













Dimensions	87" X 87" /221 x 221 cm
Depth	35" /89 cm
Seating Capacity	<i>.</i>
	s) 296 gal /1,120 l
Weight (empty)	827 lbs/375 kg
Weight (full)	3,281 lbs/1,488 kg
Illuminated Drink Holders	4
Illuminated Spa Controls.	Yes
3.5" Underwater Spa Lia	ht Ye

SIANDAKD UIILIIY FEAIUKES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	
Comfort Collar®	
Foot Dome	Yes
Zone Therapy® Seat	Yes
Shiatsu Seat	Yes
Head Cushions	
Chromatherapy	Yes
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	
Status Indicator Light	
Stainless Steel Jets	

Pump2Pump1 (Export)Pump2(Export)	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp
Export	240/40A/60A 230V, 50Hz, 1x25A
CleanZone® System Clean Zone® Ultra (Dua Bluetooth Music System Pedestal Lights	r jets)













Dimensions 87" X 87	'" /221 cm x 221 cm
Depth	35" /89 cm
Seating Capacity	6
Water Capacity (gal/liters)	345/1,306
Weight (empty)	820 lbs/372 kg
Weight (full)	3,703 lbs/1,680 kg
Lounge	Yes
Illuminated Drink Holders	4
Illuminated Spa Controls	Yes
Molded Grab Bar	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY Features	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Zone Therapy® Seat	Yes
Shiatsu Seat	
Head Cushions	
ChromaTherapy	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	
Stainless Steel Jets	

Pump2	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 230V, 50Hz, 1x25A
OPTIONAL Features AeroMAAX® Plus (10 air je CleanZone® System Clean Zone® Ultra (Dual S Bluetooth Music System Pedestal Lights X-Series Collar	ets)













Dimensions87" X 87"	/ 221 cm x 221 cm
Depth	35" /89 cm
Seating Capacity	5
Water Capacity (gal/liters)	347 gal /1,316 L
Weight (empty)	808 lbs/367 kg
Weight (full)	3,703 lbs/1,680 kg
Lounges	2
Illuminated Drink Holders	3
Illuminated Spa Controls	Yes
Molded Grab Bars	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
ABS Bottom Pan	
Northern Exposure® Insulation	Yes
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Calf Zone	Yes
Comfort Collar®	
Zone Therapy® Seat	Yes
Head Cushions	3
Chromatherapy	Yes
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	Yes

Pump2	3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 240V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 3.0Hp/6.0bHp, 230V, 2Sp 240/40A/60A 230V, 50Hz, 1x25A
CleanZone® System Clean Zone® Ultra (Dual S Bluetooth Music System . Pedestal Lights	ets) Yes Sanitization System) Yes Yes Yes Yes













Dimensions 91.5" x 91.	.5" /232 cm x 232 cn
Depth	38" /97 cn
Seating Capacity	
Water Capacity (gal/liters)	351 gal /1,329
Weight (empty)	881 lbs/400 kg
Weight (full)	3,798lbs/1,723 kg
Illuminated Drink Holders	
Illuminated Spa Controls	
3 5" Underwater Light	

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	
Touch Screen Top Side Control	Yes
Comfort Collar®	2
Foot Dome	Yes
Zone Therapy® Seat	
Shiatsu Seat	
Head Cushions	
ChromaTherapy	Yes
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes
Stainless Steel Jets	

Pump I	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump2	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240/40A/60A
Export	230V, 50Hz, 1x25A
Jet Total	53
<b>OPTIONAL FEATUR</b>	RES
	RES jets)Yes
AeroMAAX® Plus (10 air	
AeroMAAX® Plus (10 air CleanZone® System	jets)Yes
AeroMAAX® Plus (10 air CleanZone® System Clean Zone® Ultra (Dual	jets)Yes
AeroMAAX® Plus (10 air CleanZone® System Clean Zone® Ultra (Dual Bluetooth Music System	jets)
AeroMAAX® Plus (10 air CleanZone® System Clean Zone® Ultra (Dual Bluetooth Music System Pedestal Lights	jets)













Dimensions 91.5" x 91.5" /23	32 cm x 232 cm
Depth	38" /97 cm
Seating Capacity	6
Water Capacity (gal/liters) 41	17 gal /1,579 l
Weight (empty)	938 lbs/425 kg
Weight (full) 4,40	
Lounge	Yes
Illuminated Drink Holders	
Illuminated Spa Controls	Yes
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Zone Therapy® Seat	Yes
Shiatsu Seat	
Head Cushions	3
ChromaTherapy	Yes
Aurora Cascade Water Feature	2
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes

Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240/40A/60A
Export	230V, 50Hz, 1x25A
	52
OPTIONAL FEATUR	ES
	jets)Yes
	Yes
	Sanitization System) Yes
	Yes
	Yes
	Yes













Dimensions	: 92" / 234 cm x 234 cn
Depth	38" /97 cn
Seating Capacity	6-7
Water Capacity (gal/liters)	500 gal /1,893
Weight (empty)	1,100 lbs/499 kg
Weight (full)	5,250 lbs/2,381 kg
Illuminated Drink Holders	
Illuminated Spa Controls	Ye
3.5" Underwater Spa Light	Ye:

SIANDAKD UIILIIT FEAIUKES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	Yes
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Shoulder Relief Zone	Yes
Deep Tissue Hamstring Jets	Yes
Zone Therapy® Seat	Yes
Shiatsu Seat	Yes
Head Cushions	5
Aurora Cascade Water Feature	4
Digital Color Optic Lighting (interior only)	Yes
Status Indicator Light	Yes

Pump1	3.0Hp/6.0bHp, 240V,	2Sp
Pump2	3.0Hp/6.0bHp, 240V,	2Sp
Pump3	3.0Hp/6.0bHp, 240V,	1Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V,	2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V,	2Sp
Pump3(Export)	3.0Hp/6.0bHp, 230V,	1Sp
Electrical Requirements	,,	·
	240/50A/	60A
- xport	230V, 50Hz, 1x	404
let Total		.64
OPTIONAL FEATUR	RES	
AeroMAAX® Plus (10 air	jets)	Yes
•	Sanitization System)	













Dimensions 92" x 92	?" / 234 cm x 234 cm
Depth	38" /97 cm
Seating Capacity	5-6
Water Capacity (gal/liters)	484 gal /1,832 L
Weight (empty)	1,050 lbs/476 kg
Weight (full)	5,068 lbs/2,299 kg
Lounge	Yes
Illuminated Drink Holders	4
Illuminated Spa Controls	Yes
3.5" Underwater Spa Light	Yes

SIANDARD UIILIIT FEATURES	
Programmable Filter Cycles	Yes
Steel Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Northern Exposure® Insulation	Yes
ABS Bottom Pan	Yes
Touch Screen Top Side Control	Yes
Foot Relief Zone®	Yes
Comfort Collar®	2
Shoulder Relief Zone	Yes
Deep Tissue Hamstring Jets	Yes
Zone Therapy® Seat	
Shiatsu Seat	
Head Cushions	4
Aurora Cascade Water Feature	

Pump1	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump2	. 3.0Hp/6.0bHp, 240V, 2Sp
Pump3	. 3.0Hp/6.0bHp, 240V, 1Sp
Pump1 (Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	. 3.0Hp/6.0bHp, 230V, 2Sp
	. 3.0Hp/6.0bHp, 230V, 1Sp
Electrical Requirements	,,
(4-Wire)	240/50A/60A
	230V, 50Hz, 1x35A
Jet Total	64
<b>OPTIONAL FEATU</b>	RES
AeroMAAX® Plus (10 air	jets)Yes
	Yes
Clean Zone® Últra (Dual	Sanitization System) Yes
	Yes
	Yes













	91" X 133" /231 cm x 338	
Depth	38" /97	cm
Seating Capacity	8	-10
Water Capacity (go	al/liters) 714 gal /2,70	)3 L
Weight (empty) .	1,448 lbs/657	′ kg
Weight (full)	7,375 lbs/3,345	i kg
Lounges		2
Illuminated Drink I	Holders	4
Illuminated Spa Co	ontrols	Yes
3.5" Underwater S	Spa Light	Yes
CTANDADD II	THITY FEATURES	
	TILITY FEATURES	
Programmable Filt	er Cycles	Yes
Steel Sub-Structure	e	Yes
DuraMAAX® Cabin	netry	Yes
Northern Exposure	® Insulation	Yes
•		

ABS Bottom Pan		. Yes
Touch Screen Top Side Co	ntrol	. Yes
Comfort Collar®		2
Zone Therapy® Seat		. Yes
Head Cushions		
Love Seat		. Yes
Illuminated Water Feature	)	4
Digital Color Optic Lighting	g (interior only)	. Yes
Status Indicator Light		. Yes
Stainless Steel Jets		
Pump1	3.0Hp/6.0bHp, 240V,	2S <sub>I</sub>
Pump 2	3.0Hp/6.0bHp, 240V,	2Sp
Pump 3	2.5Hp/5.0bHp, 240V,	1Sp
Pump 4		
•	**	

Pumn1 (Export)	. 2.0Hp/4.0bHp, 230V, 2Sp
	. 2.0Hp/4.0bHp, 230V, 2Sp
	. 2.0Hp/4.0bHp, 230V, 1Sp
	. 2.0Hp/4.0bHp, 230V, 1Sp
Electrical Requirements	
	240/40A/60A
Export	230V, 50Hz, 1x35A
Jet Total	79
ADTIONAL FEATUR	DEC

#### **OPTIONAL FEATURES**

CleanZone® System	Yes
Clean Zone® Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
Exercise Kit	Yes
Pneumatic Power Oars	Yes
X-Series Collar	Yes

## 982 Acrylic Colors Available Silver Marble Tuscan Sun Midnight Canyon


















## Continuous Cast Acrylic

Every AMERICAN WHIRLPOOL® hot tub has an attractive interior finish made from continuous cast acrylic. This is superior to Ethelyene "soft plastic" surfaces. The hard, non-porous surface resists stains, fading, scratches and chemical abuse. With the look of pearl or metalescence, the extremely rugged and durable finish offers beauty and peace of mind.



#### **DuraMAAX®** Siding

DuraMAAX® is a state of the art wood-alternative material that has the look and feel of natural wood, without the maintenance. The material is impact resistant, impervious to weather or insect damage and will never splinter, crack or rot. The attractive exterior locks in heat and seals out cold air providing a beautiful look and feel



#### **Cabinet Colors**





#### 100 Series

#### 100 Series Color Palette

#### Acrylic Colors


**Glacier Mountain** 

Silver Marble

Midnight Canyon







**Storm Clouds** 

Tuscan Sun

**Smokey Mountain** 







#### **Cabinet Colors**









## *151*



#### STRUCTURAL FEATURES

Dimensions 83"	x 63"/211 cm x 160 cm
Depth	30"/76 cm
Seating Capacity	3
Water Capacity (gal/liters)	182 gal/689 ltr
Weight (empty)	604 lbs /274 kg
Weight (full)	2,204 lbs /1,000 kg
Lounge	Yes
Aurora Cascades	Yes
Pillows	3
3.5" Underwater Spa Light	Yes

#### STANDARD UTILITY FEATURES

JIANUANU UIILII	ILAIUNL
Programmable Filter Cycle	esYes
Treated Wooden Frame	Yes
DuraMAAX® Cabinetry	Yes
	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Pump1	1.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)	2.0Hp/4.0bHp, 230V, 2Sp
<b>Electrical Requirements</b>	
(4-Wire)	240V/30A/40A
(3-Wire)	120V/15A/30A
Export	230V, 50 Hz, 1x10A
lot Total	20

CleanZone® System	Yes
Dealer Installed Option:	
GFCI Cord	15ft, 15A



#### **STRUCTURAL FEATURES**

Dimensions	x 71" /180 cm x 180 cm
Depth	35"/89 cm
Seating Capacity	4
Water Capacity (gal/liters).	229 gal/867 ltr
Weight (empty)	577 lbs /262 kg
Weight (full)	2,480 lbs /1,125 kg
3.5" Underwater Spa Light.	Yes

#### STANDARD UTILITY FEATURES

• • • • • • • • • • • • • • • • • • • •	
Programmable Filter Cycle	sYes
	Yes
DuraMAAX® Cabinetry	Yes
	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
	Yes
	1.5Hp/3.0bHp, 115V, 2Sp
	2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240V/30A/40A
(3-Wire)	120V/15A/30A
	230V, 50 Hz, 1x10A
	16

#### **OPTIONAL FEATURES**

CleanZone® System	Yes
Dealer Installed Option:	
GFCI Cord	15ft, 15A

## 171



#### STRUCTURAL FEATURES

Dimensions 83"	x 83" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	5-6
Water Capacity (gal/liters)	336 gal/1,272 lt
Weight (empty)	800 lbs /363 kg
Weight (full)	3,586 lbs /1,627 kg
Lounge	Yes
Aurora Cascades	Yes
Pillows	5
3.5" Underwater Spa Light	Yes

#### STANDARD UTILITY FEATURES

JIANUAND CHEN	ILAIONES
Programmable Filter Cycle	esYes
Treated Wooden Frame	Yes
DuraMAAX® Cabinetry	Yes
	Yes
HDPE Sealed Base	Yes
	Yes
Dynamic LED Lighting	Yes
Pump1	2.5Hp/5.0bHp, 240V, 2Sp
Pump 2	2.5Hp/5.0bHp, 240V, 1Sp
Pump1 (Export)	2.0Hp/4.0bHp, 230V, 2Sp
Pump2(Export)	2.0Hp/4.0bHp, 230V, 1Sp
Electrical Requirements	.,
(4-Wire)	240V/40A/60A
	230V, 50 Hz, 1x25A
-	40

_	l <b>7</b> @	Caratana	W.
l	lean/one≌	System	Yes

## 261



#### STRUCTURAL FEATURES

Dimensions63"	X 83" /160 cm x 211 cm
Depth	33"/84 cm
Seating Capacity	4
Water Capacity (gal/liters)	242 gal/916 ltr
Weight (empty)	587 lbs /266 kg
Weight (full)	2,598 lbs /1,178 kg
Molded Grab Bars	Yes
Drink Holders	1
Pillows	2
3.5" Underwater Spa Light	Yes

#### STANDARD UTILITY FEATURES

Programmable Filter Cycle	esYes
Hybrid Sub-Structure	Yes
	Yes
Thermo-Lock® Insulation	Yes
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
	Yes
Aurora Cascade Water Fed	ature 2
Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
	240V/40A/50A
	230V, 50 Hz, 1x15A
	23

#### **OPTIONAL FEATURES**

CleanZone® System	Yes
Bluetooth Music System	
Dealer Installed Option:	
Aqua Klean® Filtration	Yes



#### STRUCTURAL FEATURES

SIKUCIUKAL FEATUKES	
Dimensions72" X 72"/	' 183 cm x 183 cm
Depth	33"/84 cm
Seating Capacity	2-3
Water Capacity (gal/liters)	198 gal/750 ltr
Weight (empty)	572 lbs /259 kg
Weight (full)2,	216 lbs /1,005 kg
Molded Grab Bars	Yes
Drink Holders	2
Pillows	2
3.5" Underwater Spa Light	Yes
STANDARD UTILITY FEATU	JRES

Programmable Filter Cycles	Yes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Thermo-Lock® Insulation	
Molded Bottom Pan	
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Aurora Cascade Water Feature	
Pump13.0Hp/6.0bHp, 240V,	
Pump1 (Export)3.0Hp/6.0bHp, 230V,	
Electrical Requirements	
(4-Wire)240V/40A/	/50A
Export230V, 50 Hz, 12	
let Total	

CleanZone® System	Ye:
Bluetooth Music System	
Dealer Installed Option:	
Agua Klean® Filtration	Ye:









#### **STRUCTURAL FEATURES**

Dimensions83"	X 83" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	6-7
Water Capacity (gal/liters)	364 gal/1,378 ltr
Weight (empty)	859 lbs /390 kg
Weight (full)	3,877 lbs /1,759 kg
Molded Grab Bars	Yes
Drink Holders	2
Pillows	4
3.5" Underwater Spa Light	Yes

#### **STANDARD UTILITY FEATURES**

Programmable Filter CyclesYes
Hybrid Sub-StructureYes
DuraMAAX® CabinetryYes
Thermo-Lock® Insulation Yes
Molded Bottom PanYes
Stainless Steel JetsYes
Dynamic LED LightingYes
Aurora Cascade Water Feature
Pump13.0Hp/6.0bHp, 240V, 2Sp
Pump23.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements
(4-Wire)240V/40A/60A
Export230V, 50 Hz, 1x25A
Jet Total46
OPTIONAL FEATURES

Dealer Installed Option:

## 271



#### STRUCTURAL FEATURES

21KUCIUKAL FEAIUKE	.5
Dimensions 83" x 8	33" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	6
Water Capacity (gal/liters)	374 gal/1,416 ltr
Weight (empty)	
Weight (full)	
Drink Holders	2
Lounge	Yes
Pillows	3
3.5" Underwater Spa Light	Yes
STANDARD UTILITY FE	ATIIRES
Programmable Filter Cycles	Yes
11 1 - 1 0 1 0	V

Programmable Filter Cycles	Yes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
Thermo-Lock® Insulation	
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Aurora Cascade Water Feature	2
Pump13.0Hp/6.0bHp, 240\	<i>l</i> , 2Sp
Pump23.0Hp/6.0bHp, 240\	√, 2Sp
Pump1 (Export)3.0Hp/6.0bHp, 230\	<i>l</i> , 2Sp
Pump2(Export)3.0Hp/6.0bHp, 230\	/, 2Sp
Electrical Requirements (4-Wire) 240V/40A	/60A
Export230V, 50 Hz, 1	x25A
Jet Total	44

CleanZone® System	.Yes	
CleanZone $^{ ext{@}}$ Ultra (Dual Sanitization System)		
Bluetooth Music System	.Yes	
Dealer Installed Option:		
Aqua Klean® Filtration	.Yes	



#### 200 Series

#### 200 Series Color Palette

#### Acrylic Colors









**Storm Clouds** 

Tuscan Sun

**Smokey Mountain** 





#### **Cabinet Colors**





#### STRUCTURAL FEATURES

Dimensions	92" X 92" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	7-8
Water Capacity (gal/	liters) 434 gal/1,643 ltr
Weight (empty)	946 lbs /429 kg
Weight (full)	4,595 lbs /2,084 kg
Molded Grab Bars	Yes
Drink Holders	2
Pillows	4
3.5" Underwater Spo	LightYes

#### STANDARD UTILITY FEATURES

•	
Programmable Filter Cycle	sYes
Hybrid Sub-Structure	Yes
	Yes
Thermo-Lock® Insulation.	Yes
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Aurora Cascade Water Fed	ıture 2
Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Pump2 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	
(4-Wire)	240V/40A/60A
Export	230V, 50 Hz, 1x25A
Jet Total	46

CleanZone® System	Yes
CleanZone® Ultra (Dual Sanitization System)	
Bluetooth Music System	
Dealer Installed Option:	
Agua Klean® Filtration	Yes



#### STRUCTURAL FEATURES

Dimensions 92" X 9	72" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	6
Water Capacity (gal/liters)	440 gal/1,666 ltr
Weight (empty)	1,009 lbs /458 kg
Weight (full)	4,658 lbs /2,113 kg
Drink Holders	2
Lounge	Yes
Pillows	3
3.5" Underwater Spa Light	Yes

#### **STANDARD UTILITY FEATURES**

Programmable Filter Cycle	esYes
Hybrid Sub-Structure	Yes
	ıture 2
	3.0Hp/6.0bHp, 240V, 2Sp
	3.0Hp/6.0bHp, 240V, 2Sp
•	3.0Hp/6.0bHp, 230V, 2Sp
	3.0Hp/6.0bHp, 230V, 2Sp
	I-Wire) 240V/40A/60A
•	230V, 50 Hz, 1x25A
	44

**OPTIONAL FEATURES** 

Dealer Installed Option:

### 282



#### STRUCTURAL FFATURES

STRUCTURAL FEATU	KES
Dimensions 92"	X 92" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	5
Water Capacity (gal/liters)	408 gal/1,544 ltr
Weight (empty)	992 lbs /450 kg
Weight (full)	4,376 lbs /1,985 kg
Lounge	2
Pillows	3
3.5" Underwater Spa Light	Yes
STANDARD UTILITY	EEATIIDEC
Programmable Filter Cycles	
Hybrid Sub-Structure	Yes

Programmable Filter Cycle	sYes
Hybrid Sub-Structure	Yes
DuraMAAX® Cabinetry	Yes
	Yes
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
	Yes
	ıture2
Pump1	3.0Hp/6.0bHp, 240V, 2Sp
Pump2	3.0Hp/6.0bHp, 240V, 2Sp
Pump1 (Export)	3.0Hp/6.0bHp, 230V, 2Sp
Pump2(Export)	3.0Hp/6.0bHp, 230V, 2Sp
Electrical Requirements	.,
(4-Wire)	240V/40A/60A
Export	230V, 50 Hz, 1x25A
	44

CleanZone® System	Yes
CleanZone® Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
Dealer Installed Option:	
Agua Klean® Filtration	Yes

## MX6

Length in/cm	190"/483 cm
Width in/cm	90"/229 cm
Height in/cm	61"/155cm
Weight (empty)	4,000 lbs/ 1,814 kg
Weight (full)	21,500 lbs/9,752 kg
Water Capacity (gal/liters)	2,118 gal/8,018 L
Seats	3
Depth in/cm	57"/145 cm
Grab Bar	, í
Steel Substructure	Yes
Northern Exposure®	Yes
Prog. Filter Cycles	Yes
3.5" Underwater Light	Yes
LED Illuminated swim lane	Yes
Pump 1	3.0Hp/6.0bHp 2Sp
Pump 2	3.0Hp/6.0bHp 2Sp
Pump 3	3.0Hp/6.0bHp 1Sp
Pump 4	3.0Hp/6.0bHp 1Sp
Pump 1 (Export)	3.0Hp/6.0bHp 2Sp
Pump 2 (Export)	3.0Hp/6.0bHp 2Sp
Pump 3 (Export)	3.0Hp/6.0bHp 1Sp
Pump 4 (Export)	3.0Hp/6.0bHp 1Sp

Elct Req.	240V/60A
Export	230V, 50Hz, 1x35A
Head Cushions	2
Digital Color Optics	Yes
Status Indicator Light	Yes
MAAXForce™ Swim Jets	3
Hydrotherapy Jets	29
Aurora Cascade Jets	4
Stainless Steel Jets	Yes

#### **Options**

Bluetooth Music System CleanZone® CleanZone® Ultra (Dual Sanitization System) Exercise Kit Swim Tether



## RL4/ML4

Length in/cm	168"/427 cm
Width in/cm	90"/228 cm
Height in/cm	50"/127 cm
Weight (empty)	3,000 lbs/1,361 kg
Weight (full)	15,800 lbs/7,167 kg
Water Capacity (gal/liters)	1,550 gal/5,867 L
Seats	3
Depth in/cm	47"/119 cm
Illuminated Drink Holders	2
Grab Bar	1
Steel Substructure	Yes
Northern Exposure®	Yes
Prog. Filter Cycles	Yes
3.5" Underwater Light	Yes
LED Illuminated swim lane	Yes
Pump 1	3.0Hp/6.0bHp 2Sp
Pump 2	3.0Hp/6.0bHp 2Sp
Pump 3 (ML4 only)	3.0Hp/6.0bHp 2Sp
Pump 1 (Export)	3.0Hp/6.0bHp 2Sp
Pump 2 (Export)	3.0Hp/6.0bHp 2Sp
Pump 3 (Export) ML4 only	3.0Hp/6.0bHp 2Sp

Elct Req. / RL4	240V/40A/60A
Elct Req. / ML4	240V/50A/60A
Export / RL4	230V, 50Hz, 1x25A
Export / ML4	230V, 50Hz, 1x35A
Head Cushions	2
Digital Color Optics	Yes
Status Indicator Light	Yes
Turbo Swim Jets / RL4	4
MAAXForce™ Swim Jets / ML4	2
Hydrotherapy Jets	19
Aurora Cascade Jets	6
Stainless Steel Jets	Yes

#### **Options**

Bluetooth Music System

CleanZone®

CleanZone® Ultra (Dual Sanitization System)

Exercise Kit

Pneumatic Power Oars

Swim Tether



## RB4/MB4

Length in/cm	168"/427 cm
Width in/cm	90"/228 cm
Height in/cm	50"/127 cm
Weight (empty)	3,000 lbs/1,361 kg
Weight (full)	14,000 lbs/6,350 kg
Water Capacity (gal/liters)	1,325 gal/5,016 L
Seats	3
Depth in/cm	47"/119 cm
Illuminated Drink Holders	
Grab Bar	1
Steel Substructure	Yes
Northern Exposure®	Yes
Prog. Filter Cycles	Yes
3.5" Underwater Light	Yes
LED Illuminated swim lane	Yes
Pump 1	3.0Hp/6.0bHp 2Sp
Pump 2	3.0Hp/6.0bHp 2Sp
Pump 3 (MB4 only)	3.0Hp/6.0bHp 2Sp
Pump 1 (Export)	3.0Hp/6.0bHp 2Sp
Pump 2 (Export)	3.0Hp/6.0bHp 2Sp
Pump 3 (Export) MB4 only	3.0Hp/6.0bHp 2Sp

Elct Reg. / RB4	240V/40A/60A
Elct Req. / MB4	240V/50A/60A
Export / RB4	230V, 50Hz, 1x25A
Export / MB4	230V, 50Hz, 1x35A
Head Cushions	2
Digital Color Optics	Yes
Status Indicator Light	Yes
Turbo Swim Jets / RB4	4
MAAXForce™ Swim Jets / MB4	2
Hydrotherapy Jets	19
Aurora Cascade Jets	6
Stainless Steel Jets	Yes

#### **Options**

Bluetooth Music System

CleanZone® Ultra (Dual Sanitization System)

Exercise Kit

Pneumatic Power Oars

Swim Tether



## RF2

Length in/cm	146"/371 cm
Width in/cm	90″/228 cm
Height in/cm	50"/127 cm
Weight (empty)	2,200 lbs/ 998 kg
Weight (full) 11	,599 lbs/5 ,261 kg
Weight Capacity (gal/liters)	1,127 gal/4,266 L
Seats	5
Depth in/cm	46"/117 cm
Grab Bar	1
Steel Substructure	Yes
Northern Exposure®	Yes
Prog. Filter Cycles	Yes
3.5" Underwater Light	Yes
LED Illuminated swim lane	Yes
Pump 1	3.0Hp/6.0bHp 2Sp
Pump 2	3.0Hp/6.0bHp 2Sp
Pump 1 (Export)	3.0Hp/6.0bHp 2Sp
Pump 2 (Export)	3.0Hp/6.0bHp 2Sp

Elct Req.	240V/40A/60A
Export	230V, 50Hz, 1x25A
Head Cushions	2
Aurora Cascade Jets	4
Aurora Beveraage Coasters	4
Digital Color Optics	Yes
Status Indicator Light	Yes
Power Swim Jets	4
Hydrotherapy Jets	25
Stainless Steel Jets	Yes

**Options**Bluetooth Music System

CleanZone®


CleanZone® Ultra (Dual Sanitization System)

Exercise Kit

Pneumatic Power Oars

Swim Tether









©2021 MAAX Spas Industries Corp. All rights reserved. Manufactured by MAAX Spas Industries Corp. Specifications subject to change without notice. Spas shown at various percentages of actual size. AMERICAN WHIRLPOOL, Foot Relief Zone, Zone Therapy, Comfort Collar, CleanZone, CleanZone Ultra, Powerworks, TheraMAAX, BlueMAAX, Northern Exposure, and DuraMAAX are official trademarks of MAAX Spas Industries Corp. 3M and Thinsulate are Registered trademarks of 3M.





# PowerPool \*\*

## SWIM. . TRAIN.



Swimming has long been known as the ultimate zero-impact exercise and is widely prescribed by physicians to patients who want to get in shape or tone their body. PowerPools® employ two different water propulsion systems that work in concert with its open floor plan design. Choose a multi jet deep stream for exercise or the MAAX Force™ swim system for the ultimate endless current swimming experience. The observation seats and well marked swim lanes provide the optimum swim training center for

your entire family.



A wide variety of aerobic exercises are possible in a PowerPool®. Aqua jogging is especially effective as the deep water neutralizes the effects of gravity while increasing resistance for an amazing low impact workout. Fitness experts recommend a warm water fitness regimen to maximize weight loss. Your PowerPool® can also be equipped with the aquatic exercise equipment package that features modern resistance band technology. Attach the resistance bands to perform a complete toning program.






The new MAAX® Force jet propulsion system uses proprietary 'Anti-Turbulence' technology to boost and smooth the swim stream for the ultimate swimming experience. **Anti-turbulence technology** creates a powerful, smooth, variable jet stream that is completely adjustable and designed to allow you to swim at your individual fitness level.




The MAAX Force Jet Propulsion Swim System has a 30 inch wide swim lane offering a superior swimming experience.



MAAX® Force Jet propulsion has advantages over propellers or paddles when creating a better swim stream. It is over 30" wide and easily produces a powerful swimming experience. You can also turn on the hydrotherapy mode to add air for a massage while you work out in the jet stream.



Propeller and Impeller Systems



Propeller system turbulence

#### **Four Seasons Swimming**

Enjoy the benefits of outdoor swimming all year long in a PowerPool® swim spa. In many places of the world the outdoor swimming season is short and heating a conventional in-ground pool is expensive and impractical. With your new PowerPool® you can swim and entertain guests any time of the year without the hassle and cost of a swimming pool. Never worry about winterizing your swimming pool again, PowerPool® swim spas are made with the same high efficiency Northern Exposure® insulation system as our hot tubs. Additionally the locking insulated cover means your PowerPool® is hot and ready to use any time of the year.

Swim, Train and Relax year round!



### DM8

 Length in/cm
 218"/553 cm

 Width in/cm
 90"/229 cm

 Height in/cm
 53"/135 cm

 Weight (empty)
 3,700 lbs/ 1,678 kg

 Weight (full)
 19,885 lbs/9,020 kg

Water Capacity (gal/liters)

swim end 1650 gal/6245 L spa end 300 gal/1136 L

Swim Seating 5 Spa Seating 48"/122 cm Depth in/cm Illuminated Drink Holders Grab Bar 1 Steel Substructure Yes Northern Exposure® Yes Prog. Filter Cycles Yes 3.5" Underwater Light Yes LED Illuminated swim lane Yes Pump 1 3.0Hp/6.0bHp 2Sp Pump 2 3.0Hp/6.0bHp 2Sp Pump 3 3.0Hp/6.0bHp 2Sp Spa Pump 3.0Hp/6.0bHp 2Sp Pump 1 (Export) 3.0Hp/6.0bHp 2Sp Pump 2 (Export) 3.0Hp/6.0bHp 2Sp Pump 3 (Export) 3.0Hp/6.0bHp 2Sp Spa Pump (Export) 3.0Hp/6.0bHp 2Sp

Elct Req.

swim end 240V/50A/60A
spa end 240V/40A/50A
Export / Swim End 230V, 50Hz, 1x35A
Export / Spa End 230V, 50Hz, 1x15A
Head Cushions 2
Digital Color Optics Yes
MAAXForce™ Swim Jets 2
Hydrotherapy Jets 31

4

Yes

#### **Options**

Swim Tether

Aurora Cascade Jets

Stainless Steel Jets

Bluetooth Music System CleanZone® Ultra (Dual Sanitization System) Exercise Kit Exercise Kit with Oars







©2021 MAAX Spas Industries Corp. All rights reserved. Manufactured by MAAX Spas Industries Corp. Specifications subject to change without notice. Spas shown at various percentages of actual size. AMERICAN WHIRLPOOL, PowerPool, Foot Relief Zone, Zone Therapy, Comfort Collar, CleanZone, CleanZone Ultra, Powerworks, TheraMAAX, BlueMAAX, Northern Exposure, and DuraMaax are official trademarks of MAAX Spas Industries Corp. 3M and Thinsulate are Registered trademarks of 3M.



# Comfort Collar<sup>®</sup>

A neck massage therapy system is one of the most relaxing features in a spa. The molded Comfort Collar's unique cushion supports your neck, while the jets massage neck and shoulder muscles. The Comfort Collar® is like having your neck massaged by a loved one. This hallmark feature is one of the reasons many have already chosen an AMERICAN WHIRLPOOL® hot tub.

#### **X-Series Collar**

The convenient X-series option replaces the Comfort Collar® and increases the seat size in the deep corner seat for physical freedom of movement and enhanced comfort for those who need it.

### **Ultimate Comfort**

For over 40 years we have designed the worlds most comfortable hot tubs thanks to patented features like the zero gravity Performance Seat®. Seats are specifically molded to fit a variety of shapes and sizes so you can find the one that's right for you. Deep immersion seating provides ultimate comfort, while armrests and Foot Relief Zones® seem to mold to your body.



# Touch Screen Top Side Control

The user-friendly spa controller allows you to change the temperature from the easy-to-read home screen and use the Mode Selection Wheel or Direct Function Selection Wheel to access any other spa features. Messages and reminders will display at the bottom of the screen to keep you up to date on its' operating condition.

AMERICAN WHIRLPOOL® hot tubs utilize Direct Drive 56 frame pumps in all of their 240 volt models. These are larger, and more powerful motors that eliminates mechanical switches allowing the pumps to run cooler for a longer and more energy efficient life.







## **Set The** Mood

Your American whirlpool hot tub is available with a beautiful variety of water and light features. From the laminar water fountains to the Chromotherapy underwater lighting system, everything you need for the perfect scene is available with the touch of a button. Set the color for the perfect mood or turn on the soothing water cascade to help you drift off and forget the stress of the day.





art that makes any evening special.





### Bluetooth Music

State of the art bluetooth technology puts the music at your fingertips.
Enjoy your favorite artists and playlists anytime with this easy to use stereo system. Simply sync any bluetooth compatible device and as you slip in to the soothing waters enjoy your favorite artists.

Two fully integrated speakers provide crisp clear fidelity for your listening enjoyment.

When you choose the AMERICAN WHIRLPOOL® Sound System, sound will resonate through the water from the powerful subwoofer, which is integrated directly into your spa's structure. The technology allows you to not only hear, but also feel your music.

Subwoofer

## Medically Designed Massage

Your AMERICAN WHIRLPOOL® hot tub features the worlds first Medically designed jetting systems for the ultimate massage. Whether it's diminishing the stresses of everyday life, relieving stiff muscles or simply helping you get a good night's sleep - medically designed Zone Therapy® utilizes correctly positioned jets to target pain zone trigger points. Precisely locating the correct size jet and massaging action where they are most effective is key to relieving pain and stiffness throughout the entire body.

#### **AeroMAAX**<sup>®</sup>

AeroMAAX® strategically places air injectors throughout the spa. This gentler massage promotes blood flow and "vacillation," the awakening of smaller blood vessels through the body. The effect is mild vibration in the spa, to soothe, refresh and heat.





steel escutcheon makes it easy to

adjust the power of the jet.

## Crystal Clear Water

Perfect moments deserve perfect, crystal clear water. The water maintenance of your spa is made easy by the exclusive features of AMERICAN WHIRLPOOL's complete 4 step cleaning system and dual sanitization.



#### **4 Step Filtration System**

- 1. Weir Door Breaks the water surface tension and traps debris.
- **2. First Filter** Removes oil and ultra fine particulates up to 10 microns.
- **3. Basket** Captures debris before filtering for easy removal.
- **4. Spa Filter** Oversized filter permits the high flow 1000gpm intake of water to be cleaned and returned into the spa.

#### **CleanZone®**

The CleanZone® water purification system will automatically maintain healthy, crystal clear water while greatly reducing chemical maintenance. CleanZone® is a cartridge oxidizer that generates oxygen and cleans your spa water.




#### CleanZone® Ultra

The CleanZone® Ultra system uses the power of UVC light, the same technology utilized in many communities around the world to purify drinking water. CleanZone® Ultra kills 99.9% of micro-organisms, bacteria, viruses and parasites. This system is the perfect blend of hygiene, purity and technology.



#### **Ultra Quiet**

The same insulation that makes an AMERICAN WHIRLPOOL® hot tub energy efficient also aids in it's ultra quiet operation. Sound energy is trapped and deadened inside the hot tub by the insulation sound barrier. Quiet operation is essential to ensure a peaceful relaxing experience throughout the entire backyard.





AMERICAN WHIRLPOOL's premium grade insulating covers contain a unique copper lining, removable heat sealing pillows to vent excess heat off in the summer and a tailored fit to keep the heat in when cooler. The cover also acts as an important safety barrier to the spa.



## Lifetime Insulation Warranty

The insulation system in your new AMERICAN WHIRLPOOL® hot tub is warranted to maintain the same insulation value as it had at the time it was manufactured. The high R value, Appliance Grade® construction will allow a technician to service the entire spa and bring it back to factory specifications at home.


## Steel Frame Appliance Grade Structure

AMERICAN WHIRLPOOL® hot tubs are the worlds first steel frame Appliance Grade® hot tubs. The steel frame provides greater structural integrity than wood, as well as superior corrosion protection for a much longer life. Unlike wood It will never rot, warp, or crack. Stronger, more durable, and ideal for the environment - it's the reason AMERICAN WHIRLPOOL® is the ultimate hot tub. The steel frame and Northern Exposure® Insulation allow for complete service of the entire structure and all mechanical parts. Essentially the spa can be serviced to factory specifications right in your backyard, for the lifetime you own it. The hot tub is built to the same service and safety standards as other home appliances.



#### **Lifetime Steel Structure Warranty**

The steel frame is the backbone and support for the entire spa. The steel structure of your AMERICAN WHIRLPOOL® hot tub carries a lifetime warranty.





#### **ABS Sealed Base**

The ABS Sealed Base is an integral part of the support structure in an AMERICAN WHIRLPOOL® hot tub. Its one-piece construction provides a rugged foundation that seals the bottom of the spa, locking in heat and sealing out moisture.


#### **Service**

Conventional foam-filled hot tubs are extremely hard to service and are often damaged in the process. It is very costly to bring these back to factory specifications.





Northern Exposure® is the ultimate hot tub insulation system. This patent pending thermal barrier technology recycles the free heat energy for more efficient heating and lower energy costs. All four sides of the spa, plus the floor and cover are lined with reflective copper material to reflect radiant heat energy generated from the pumps back into the spa. Heat is absorbed back into the plumbing helping raise and maintain water temperature. Finally the entire exterior of the hot tub is wrapped in 3M Thinsulate® Insulation, the same incredible material utilized in winter clothing. This three layer patent pending system ensures energy created by the spa stays in the spa.



#### **BlueMAAX®**

The Northern Exposure® Insulation System features our eco-friendly BlueMAAX® insulation. Made from recycled natural fiber, it is approved by the U.S. Green Building Council. The insulation contains no chemical irritants, is treated with a borate based solution to prevent mold/mildew growth, pest infestation, and acts as a fire retardant. BlueMAAX® replaces the urethane foam in "foam filled" hot tubs. (Foam filling produces volatile organic compounds (VOC's) which are harmful to the environment.)